interstuhl

Technical data sheet 172H

Specification Swivel chair, mesh covered

Dimensions in mm	Backrest:	H:	650
	Seat:	H:	410-520
		W:	470
		D:	430
	Total:	H:	1180
		W (no ArmR):	520
		W (ArmR):	750
		D:	700
Packaging data	Weight:	kg	20
	Volume:	m³	0,7



Benefit

Basic equipment

Backrest	Medium-high back, mesh covered, black, mesh design with horizontal stripes.	The support point "S" specified in EN 1335 around 170 - 220 mm above the seat is provided. This allows relaxed and comfortable sitting. Comfortably in the middle and rear seating positions too.
Upholstery	Seat upholstery.	Optimum microclimate through unglued upholstery, breathable.
Mechanism / Weight adjustment	Autofit synchro mechanism with automatic weight regulation, including fine adjustment. The return force of the backrest is adjusted automatically, controlled by the users' body weight (though you can select a harder or softer basic characteristic). Opening angle between seat and backrest 126°. Can be locked in 4 positions.	Several users can use the chair alternately without having to adjust the weight regulation anew every time they change.
Seat height adjustment	Seat height adjustment infinitely variable from 410 - 520 mm. Self-supporting safety pneumatic spring. Patented basic seat height adjustment allows an individual regulation of the seat height (only possible with bases without mech. bounce spring).	Even persons outside the DIN range (i.e. taller than 192 cm and smaller than 151 cm) are offered the correct ergonomic posture. The additional basic seat height adjustment is 30 mm downwards and 20 mm upwards.
Castors Ø 65 mm	Hard castors, black, load-dependent braked, for soft floors. (Corresponding to DIN EN 12529).	The chair does not roll away when not in use, minimises the risk of accidents. Dition, minimum risk of accident.
Base / Metal parts	Base and backrest connection, black plastic. Mechanism housing powder-coated, black.	High stability, long service life.
Vaterials	All materials are pure and recyclable.	Environmentally friendly.
Standards	EN 1335 for office swivel chairs and office swivel executive chairs. GS-Symbol for tested safety, ergonomics and tested for contaminants, BIFMA tested.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Health and Safety Management System DIN EN ISO 45001:2018, EcoVadis Gold. Commitment to sustainability. Quality Office, Blue Angel, Bifma e3 level Platin.	High-quality product.
Warranty and return	10 years warranty. Full return and recycling warranty.	Free parts replacement within the warranty period of charge, within the guaranteed period.

Disassembly instructions are available upon request for any interstuhl product

interstuhl

Technical data sheet 172H

Specification Swivel chair, mesh covered

Dimensions in mm	Backrest:	H:	650
	Seat:	H:	410-520
		W:	470
		D:	430
	Total:		
		H:	1180
		W (no ArmR):	520
		W (ArmR):	750
		D:	700
Dookoging data	Woight:	ka	20
Packaging data	Weight:	kg	20
	Volume:	m³	0,7



Options		Benefit
Castors Ø 65 mm / Glides	Soft, load-dependent braked twin castors for hard floors (according to DIN EN 12529) or glides.	The chair does not roll away when not in use, minimises the risk of accidents.d condition, minimum risk of accidents.
Base / Metal parts	Aluminium base, powder-coated black, brilliant silver or polished.	Very high stability, long service life.
Sprung column	Sprung column also possible in lowest position.	Dampens the impact on sitting down, thus gentle on the spine.
Seat depth adjustment	Patented seat depth adjustment (active) in front seat area by up to 50 mm.	Enlarges the support area for the thighs of taller persons.ea for the thighs of taller persons.
Seat inclination adjustment	Can be adjusted forwards by up to -4°.	Counteracts the backward tilt of the pelvis in an inclined working position, in particular during work with computers. The larger angle between the thigh and upper body also takes the strain off the organism.ves the organism.
∟umbar support	Adjustable lumbar support per hand wheel. 65 mm height-adjustable.	Through a mechanical rotation the lumbar support which is integrated in the back upholstery will be adjusted horizontally and will be adapted to the corporal conditions of the user. In that way an individual support in the lumbar area is possible.
Armrests	4D T-armrests - height, width and depth-adjustable, pivoted (360°), soft. 2D T-armrests - height and width-adjustable, soft.	The adjustable height of the armrests also takes the strain off the neck muscles.uscles will be relieved.
abric materials	Back: Mesh in anthracite with horizontal stripes. Several leather and fabric qualities for the seat.	A number of colours and fabrics are available for the design of the chair.pholstery materials are available.
Accessories	Coat hanger, powder coated black.	

Disassembly instructions are available upon request for any interstuhl product