
interstuhl

Technical data sheet 1132N

Specification Boat-shaped table, small, round tube 1100/815x3200




Basic equipment		Benefit
Frame	Round tubular steel. Double T-design, connected twice with crosswise laying round pipe adapter. Welding seam is covered by a plastic covering.	Stable, elegant and interesting design.
Longitudinal beam	4 edges black steel pipe with connected release tilt/fold mechanism via round tubular steel hoop.	
Frame surface	Powder coated black.	Matches all offered table surfaces.
Castors	Castors that adjust to different surface heights and can be locked where necessary.	Adapts to uneven floors. Therefore, the table remains level.
Table top	MDF, 25mm, foldable.	Space-saving stowage possibility.
Table top shape	Boat-shaped, 2 parts (with table connectors). 3200 mm long, 1100/815mm deep.	Enables to use one table only or table rows.
Table top surface	HPL, plastic laminate premium white. Stabilizing/bottom layer same colour.	Durable plastic laminate.
Table edge	ABS, 2 mm strong, 13 mm straight then ABS edges are also suitable for tough environments. chamfer. Matches the colour of the table top.	
Connector/ Substructure/ Top	Plastic fitting.	
Table connectors	Two plastic table connectors per scouring sides of tops.	
Standards	GS-Symobl for tested safety.	

interstuhl

Technical data sheet 1132N

Specification Boat-shaped table, small, round tube 1100/815x3200



interstuhl

Technical data sheet 1132N

Specification Boat-shaped table, small, round tube 1100/815x3200

Dimensions in mm	-			
	Total:	H:	740	
		D:	3200	
Packaging data	Weight: Volume:	kg m³	38 2,67	3200
ptions				Benefit
Frame			ated brilliant silver, white or chrome al beam always black).	Table top can match existing chairs.
Table top surface			c laminate plain coloured and wood ease refer to price list and sample	Large variety of laminates which enable individually specified tables which enhance and match the environment.
Accessories	Electrification: Different electronic-connection boxes, aluminium anodized with brush band and foam rubber buffer. Cable channel, black metal, fixed between the beam.		minium anodized with brush band and er buffer. Cable channel, black metal,	Easy cable management.
		er Special equipment on request.		