

**Technical data sheet 14M66**

Specification Swivel chair, mesh backrest, FLEXTECH

Dimensions in mm	Backrest:	H:	565
		Seat:	H: 420-525 W: 495 D: 500
	Total:	H:	1090
		W (no ArmR):	560
		W (ArmR):	635
		D:	740
Packaging data	Weight:	kg	15,7
	Volume:	m³	0,6



**Basic equipment**

**Benefit**

Plastic parts	Seat and back, colour maintained throughout plastic parts, black.	Thus "colourfast" with deep scratches and abrasions.
Backrest	Meshback, black.	
Upholstery	Seat upholstery: 55 mm foam, Upholstery is unglued, ensuring optimal air movement, breathable.	Good seating comfort.
Mechanism	Synchronous mechanism lockable thanks to FLEXTECH Inside. Large opening angle of up to max. 117° between seat and backrest with additional side tilt of 4°.	Synchronous mechanism of Interstuhl are designed in a way that they help to support optimally the body in every seating position and also relieve the change between the different seating positions. This is also aided by FLEXTECH and enables dynamic 3D sitting.
Seat height adjustment	Seat height adjustment infinitely variable from 410 - 515 mm. Self-supporting safety gas spring.	Even those outside the DIN range (i.e. taller than 192 cm and smaller than 151 cm) are offered the correct ergonomic posture.
Weight adjustment	From 45 - 120 kg, adjustable within 7 steps.	Individual adjustment of the backrest and back pressure to the size and weight of the user.
Seat inclination	Integrated seat tilt feature thanks to FLEXTECH Inside.	The inclination means that the pelvis is at a steeper angle and the spine is straightened, thus preventing rounding of the back.
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors. (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded position, minimum risk of accident.
Base	Colour maintained throughout polyamide base, as colour finish (plastic parts).	Thus "colourfast" with deep scratches and abrasions.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	EN 1335 for office swivel chairs and office swivel armchairs. GS-Symobl for tested safety, tested for contaminants, Ergonomics approved, Bifma tested.	High quality product and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Quality Office, Blue Angel, Bifma e3 level Platin.	High quality product.

**Technical data sheet 14M66**

Specification Swivel chair, mesh backrest, FLEXTECH

Dimensions in mm	Backrest:	H:	565	
		Seat:	H:	420-525
			W:	495
	Total:	D:	500	
		H:	1090	
		W (no ArmR):	560	
		W (ArmR):	635	
Packaging data	D:	740		
	Weight:	kg	15,7	
	Volume:	m³	0,6	



Warranty and return                      10 years warranty. Complete return and recycling guarantee.

Exchange of parts, free of charge, within the guaranteed period.

---

Disassembly instructions are available upon request for any interstuhl product

**Technical data sheet 14M66**

Specification Swivel chair, mesh backrest, FLEXTECH

Dimensions in mm	Backrest:	H:	565
		Seat:	H: 420-525 W: 495 D: 500
	Total:	H:	1090
		W (no ArmR):	560
		W (ArmR):	635
		D:	740
Packaging data	Weight:	kg	15,7
	Volume:	m³	0,6



**Options**

**Benefit**

Backrest	Meshback, white, flame red, traffic orange, may green, beige grey, cobalt blue, pastel blue.	
Colour finish	Seat and back incl. base, colour maintained throughout plastic parts, white.	Thus "colourfast" with deep scratches and abrasions. Visual appeal.
Castors/Glides	Soft double castors, black, load dependent braked, for hard floors or glides. (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded position, minimum risk of accident.
Base	Aluminium brilliant silver powder coated or polished.	Very high stability, long service life. High quality look.
Seat depth adjustment	Sliding seat for individual adjustment of the seat depth, adjustment 115 mm.	
Lumbar support	Depth- and height adjustable (60 mm).	The lumbar support is depth adjustable and can be adapted to the corporal conditions of the user. In that way an individual support in the lumbar area is possible.
Armrests	T-armrest, height adjustable (100 mm), soft surface (as colour finish). 3D T-armrests, height (100 mm) and width (2 x 25 mm) adjustable, rotatable (2 x 15°), soft surface (as colour finish). 3D T-armrest, height (100 mm), width (2 x 25 mm) and depth (50 mm) adjustable, soft surface (as colour finish).	The armrests relieve the neck and shoulder muscles.
Material (fabric)	Several fabric collections and leather in various colours.	During the design of the chair several colours and upholstery materials are available.

Disassembly instructions are available upon request for any interstuhl product