

**Technical data sheet EV756**

Specification Counter chair, medium, uphol., Autolift, Comf.seat

|                  |           |              |         |
|------------------|-----------|--------------|---------|
| Dimensions in mm | Backrest: | H:           | 640     |
|                  | Seat:     | H:           | 640-920 |
|                  |           | W:           | 520     |
|                  |           | D:           | 450     |
|                  | Total:    | H:           | 1515    |
|                  |           | W (no ArmR): | 520     |
| W (ArmR):        |           | 685          |         |
| D:               |           | 535          |         |
| Packaging data   | Weight:   | kg           | 20,5    |
|                  | Volume:   | m³           | 0,7     |



**Basic equipment**

**Benefit**

|                            |   |  |
|----------------------------|---|--|
| Plastic parts              | Colour maintained throughout, black or white.   | Always look good even with intensive use.  |
| Backrest                   | Backrest medium high, upholstered, 40 mm foam, rear side of the back plastic cover.   | Optimum microclimate thanks to unglued upholstery, breathable.   |
| Upholstery                 | Seat upholstery: 70 mm foam. Comfort seat.  | Upholstery is unglued, ensuring optimal air movement, breathable. Great seating comfort.   |
| Mechanism                  | Autolift-System (with synchronous mechanism), with automatic weight adjustment (45-120 kg). Backrest lockable in both forward and backward position, opening angle between seat and back up to 105°.  | The mechanism is designed in such a way that it supports your posture in every seating position. It enables the user to change seating positions flexibly. Several users can use the chair easily without having to adjust the tension of the backrest. When leaning backwards, the edge of the front seat pad rises. Consequently, the user slides backwards slightly contributing to an ideal and comfortable seating posture. |
| Seat height adjustment     | Seat height adjustment infinitely variable from 640 - 920 mm.   | People measuring with a height between 151 and 192 cm (Acc. to DIN EN 1335) can individually adjust the seat height in the most ergonomic way.   |
| Glides                     | Glides for hard floors (Acc. to DIN EN 12529).  | Good stability.  |
| Base with climb assistance | Aluminium base, polished with foot ring (Ø 470 mm) on glides.   | Very good stability, long service life.  |
| Materials                  | All materials are pure and recyclable.  | Environmentally friendly.  |
| Standards                  | GS-Symbol for tested safety. Tested for contaminants.   | High quality product and safety.   |
| Certification              | Quality management system DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Health and Safety Management System DIN EN ISO 45001:2018, EcoVadis Gold. Commitment to sustainability. Quality Office, Blue Angel, Bifma e3 level Platin. | High-quality product.  |
| Warranty and Return        | 10 year warranty according to our current warranty conditions.  | Quality guaranteed to last for entire product life.  |

**Technical data sheet EV756**

Specification Counter chair, medium, uphol., Autolift, Comf.seat

|                  |           |                |      |         |
|------------------|-----------|----------------|------|---------|
| Dimensions in mm | Backrest: | H:             | 640  |         |
|                  |           | Seat:          | H:   | 640-920 |
|                  |           |                | W:   | 520     |
|                  | Total:    | D:             | 450  |         |
|                  |           | H:             | 1515 |         |
|                  |           | W (no ArmR):   | 520  |         |
|                  |           | W (ArmR):      | 685  |         |
| Packaging data   | D:        | 535            |      |         |
|                  | Weight:   | kg             | 20,5 |         |
|                  | Volume:   | m <sup>3</sup> | 0,7  |         |



Disassembly instructions are available upon request for any interstuhl product

**Technical data sheet EV756**

Specification Counter chair, medium, uphol., Autolift, Comf.seat

|                  |           |              |      |         |
|------------------|-----------|--------------|------|---------|
| Dimensions in mm | Backrest: | H:           | 640  |         |
|                  |           | Seat:        | H:   | 640-920 |
|                  |           |              | W:   | 520     |
|                  | Total:    | D:           | 450  |         |
|                  |           | H:           | 1515 |         |
|                  |           | W (no ArmR): | 520  |         |
| Packaging data   | Weight:   | kg           | 20,5 |         |
|                  |           | Volume:      | m³   | 0,7     |
|                  | Weight:   | kg           | 20,5 |         |
|                  |           | Volume:      | m³   | 0,7     |



| <b>Options</b>    | <b>Benefit</b>  |   |
|-------------------|---|---|
| Castors           | Sit-stop castors.   | Fixed positioning for sitting and mobile when unoccupied. |
| Armrests          | 2D T-armrests, height and width adjustable, soft surface. 3D T-armrest, height, width and depth adjustable, soft surface. | The armrests relieve the neck and shoulder muscles.       |
| Material (fabric) | Various fabric and leather options are available.   | Individual design.  |

Disassembly instructions are available upon request for any interstuhl product