

Technical data sheet EV757

Specification Counter chair, high, upholst, Autolift, Comf. seat

Dimensions in mm	Backrest:	H:	715
		Seat:	H: 640-920 W: 520 D: 450
	Total:	H:	1590
		W (no ArmR):	520
		W (ArmR):	685
		D:	535
Packaging data	Weight:	kg	20,5
	Volume:	m³	0,7



Basic equipment

Benefit

Plastic parts	Colour maintained throughout, black or white.	Always look good even with intensive use.
Backrest	Backrest high, upholstered, 40 mm foam, rear side of the back plastic cover.	Optimum microclimate thanks to unglued upholstery, breathable.
Upholstery	Seat upholstery: 70 mm foam. Comfort seat.	Upholstery is unglued, ensuring optimal air movement, breathable. Great seating comfort.
Mechanism	Autolift-System (with synchronous mechanism), with automatic weight adjustment (45-120 kg). Backrest lockable in both forward and backward position, opening angle between seat and back up to 105°.	The mechanism is designed in such a way that it supports your posture in every seating position. It enables the user to change seating positions flexibly. Several users can use the chair easily without having to adjust the tension of the backrest. When leaning backwards, the edge of the front seat pad rises. Consequently, the user slides backwards slightly contributing to an ideal and comfortable seating posture.
Seat height adjustment	Seat height adjustment infinitely variable from 640 - 920 mm.	People measuring with a height between 151 and 192 cm (Acc. to DIN EN 1335) can individually adjust the seat height in the most ergonomic way.
Glides	Glides for hard floors (Acc. to DIN EN 12529).	Good stability.
Base with climb assistance	Aluminium base, polished with foot ring (Ø 470 mm) on glides.	Very good stability, long service life.
Materials	All materials are pure and recyclable.	Environmentally friendly.
Standards	GS-Symbol for tested safety. Tested for contaminants.	High quality product and safety.
Certification	Quality management system DIN EN ISO 9001:2015, Regulation (EC) no. 1221/2009 (EMAS), Environmental Management System DIN EN ISO 14001:2015, Health and Safety Management System DIN EN ISO 45001:2018, EcoVadis Gold. Commitment to sustainability. Quality Office, Blue Angel, Bifma e3 level Platin.	High-quality product.
Warranty and Return	10 year warranty according to our current warranty conditions.	Quality guaranteed to last for entire product life.

Technical data sheet EV757

Specification Counter chair, high, upholst, Autolift, Conf. seat

Dimensions in mm	Backrest:	H:	715	
		Seat:	H:	640-920
			W:	520
	Total:	D:	450	
		H:	1590	
		W (no ArmR):	520	
Packaging data	Weight:	kg	20,5	
		Volume:	m ³	0,7
	Weight:	kg	20,5	
		Volume:	m ³	0,7



Disassembly instructions are available upon request for any interstuhl product

Technical data sheet EV757

Specification Counter chair, high, upholst, Autolift, Comf. seat

Dimensions in mm	Backrest:	H:	715	
		Seat:	H:	640-920
			W:	520
	Total:	D:	450	
		H:	1590	
		W (no ArmR):	520	
Packaging data	Weight:	kg	20,5	
		Volume:	m³	0,7
		W (ArmR):	685	
		D:	535	



Options	Benefit	
Castors	Sit-stop castors.	Fixed positioning for sitting and mobile when unoccupied.
Armrests	2D T-armrests, height and width adjustable, soft surface. 3D T-armrest, height, width and depth adjustable, soft surface.	The armrests relieve the neck and shoulder muscles.
Material (fabric)	Various fabric and leather options are available.	Individual design.

Disassembly instructions are available upon request for any interstuhl product