

**Technical data sheet JC162**

Specification Swivel armchair high, upholstered, FLEXTECH

Dimensions in mm	Backrest:	H:	640
	Seat:	H:	420-530
		W:	500
		D:	725
	Total:	H:	1280
		W (no ArmR):	500
W (ArmR):		725	
D:		630	
Packaging data	Weight:	kg	17,0
	Volume:	m³	0,7



**Basic equipment**

**Benefit**

Plastic parts	Colour maintained throughout, black, light grey.	Colourfast and resistant to deep scratches and abrasions.
Backrest	Backrest high, upholstered, 40 mm foam. Backrest height adjustment convenient and easy to use and to set up ergonomically, even when sitting. With an adjustment range of five positions (12 mm each). Backrest locking, four positions.	
Upholstery	Seat upholstery: 55 mm foam, upholstery is unglued, ensuring optimal air movement, breathable.	Great seating comfort.
Mechanism	Synchronous mechanism lockable with FLEXTECH Inside. Large opening angle of up to max. 118° between seat and backrest with additional side tilt of 4°.	Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the change between the different seating positions. This is also aided by FLEXTECH and enables dynamic 3D sitting.
Seat height adjustment	Seat height adjustment infinitely variable from 420 - 530 mm. Self-supporting safety gas spring.	Even people outside the DIN range (i.e. taller than 192cm and smaller than 151cm) will sit in the most ergonomic way.
Weight Adjustment	From 40 - 125 kg, infinitely variable.	Full range adjustable with a 360-degree turn of the handwheel. Custom adjustment of the backrest and the counter-pressure to the size and weight of the person sitting in the chair.
Seat inclination	Integrated seat tilt feature thanks to FLEXTECH Inside.	The inclination means that the pelvis is at a steeper angle and the spine is straightened, thus preventing rounding of the back.
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors. (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Base	Colour maintained throughout polyamide base, black.	Colourfast and resistant to deep scratches and abrasions.
Chair column	Column colour matches the base colour.	Uniform colour scheme for the whole model.
Materials	All materials are pure and recyclable.	Environmentally friendly.

**Technical data sheet JC162**

Specification Swivel armchair high, upholstered, FLEXTECH

Dimensions in mm	Backrest:	H:	640	
		Seat:	H:	420-530
			W:	500
	Total:	D:	725	
		H:	1280	
		W (no ArmR):	500	
		W (ArmR):	725	
Packaging data	Weight:	kg	17,0	
		D:	630	
	Volume:	m³	0,7	



**Standards** EN 1335 for office swivel chairs and office swivel armchairs. GS-Symbol for tested safety, tested for contaminants, Ergonomics approved.

High quality product and great comfort.

**Certification** Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Quality Office.

High quality product.

**Warranty and return** 10 years warranty. Complete return and recycling guarantee.

Exchange of parts free of charge within the guaranteed period.

Disassembly instructions are available upon request for any interstuhl product

**Technical data sheet JC162**

Specification Swivel armchair high, upholstered, FLEXTECH

Dimensions in mm	Backrest:	H:	640
		Seat:	H: 420-530 W: 500 D: 725
	Total:	H:	1280
		W (no ArmR):	500
		W (ArmR):	725
		D:	630
Packaging data	Weight:	kg	17,0
	Volume:	m³	0,7



<b>Options</b>		<b>Benefit</b>
Castors	Soft double castors, load dependent braked, for hard floors (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded position, minimum risk of accident.
Base	Polished aluminium and light-grey plastic.	Very high stability, long service life. High-quality look.
Seat depth adjustment	Sliding seat for an individual adjustment of the seat depth, 60 mm adjustment.	The seat depth can be individually adjusted to ensure an optimal support surface of the thighs.
Lumbar support	Depth adjustable (10 mm).	Through a mechanical rotation, the depth of the lumbar support integrated into the back upholstery can be adjusted and adapted to the anatomical build of the person sitting in the chair. This provides custom support in the lumbar spine area.
Armrests	2D T-armrests, adjustable height/width. 3D T-armrests, adjustable height/width/depth, soft. 4D T-armrests, adjustable height/width/depth, rotatable, soft.	The armrests relieve the neck and shoulder muscles.
Cover materials	Various fabric and leather options available.	Individual design.

Disassembly instructions are available upon request for any interstuhl product